

Coach encouragement feedback during circuit training: is it possible to increase the fitness, grit and technical demands of youth sepak takraw athletes?

Ahmad Alwi Nurudin^{1*} , Heny Setyawati¹ , Sugiharto Sugiharto¹ ,
Taufiq Hidayah¹ , Rumini Rumini¹ , Ahmet Ahmet² , Amayra Tannoubi³ ,
Joseph Lobo⁴ , Bachtiar Bachtiar⁵ , Karuppasamy Govindasamy⁶ , Edi Setiawan⁷ 

ABSTRACT

This study aims to investigate the impact of coach encouragement feedback circuit training (CEFCT) on the level of fitness, grit, and technical performance of youth sepak takraw athletes. A randomised control trial (RCT) design during 8 weeks was adopted. There were 80 young male sepak takraw athletes allocated into two groups: the CEFCT group (n = 40, 17.4 ± 1.22 years) and the control group (CG, n = 40, 17.5 ± 1.24 years). Paired sample t-test showed significant differences in fitness, grit and technical performance in CEFCT (all, p < .05) and CG (all, p < .05) from pre-test until post-test. In the 2-way ANOVA repeated measures test, we observed a significant time effect on physical fitness (all p < .05), along with a group effect (p < .05); however, there was no effect on the CMJ parameter (p > .05). Moreover, there was an interaction time * group in some parameters (p < .05), but it was not found in 10-mST (p > .05). At the same time, we found a time effect on grit (all, p < .05), but no difference in the group effect (all, p > .05). Furthermore, there was a time * group interaction on grit-maintaining interest (MI) (p < .005), but it was not found in grit-continuing efforts (CE) (p > .05). Finally, we found that there was an effect of time (all, p < .05) simultaneously with group (all, p < .05), but there was no time * group interaction (all, p > .05). The coach must apply encouragement during the circuit to increase the level of physical fitness, grit and technical performance of youth sepak takraw athletes.

KEYWORDS: coach encouragement feedback; circuit training; performance; sepak takraw.

INTRODUCTION

Sepak takraw is a competitive sport that has become popular and has attracted the attention of several coaches in the Asian region (Yudanto et al., 2022). Sepak takraw has the characteristics of a high-intensity sport and requires high levels of energy. Data reported that Malaysian national athletes have a daily energy expenditure of 3,004 ± 298 kcal, while

young Thai national athletes have 400.37 ± 44.03 kcal per match (Udomtaku & Konharn, 2020). Thus, this data shows that youth sepak takraw athletes are required to perform at high levels. Based on existing literature, several factors that support the performance of young athletes in competitive sports include fitness (Sabarit et al., 2020; Villaseca-Vicuña, Otero-Saborido et al., 2021), psychological (Ríos Garit et al.,

¹Universitas Negeri Semarang – Semarang, Indonesia.

²Bandirma Onyedi Eylul University – Balıkesir, Turkey.

³University of Jendouba – Jendouba, Tunisia.

⁴Bulacan State University – Malolos, Philippines.

⁵Universitas Muhammadiyah Sukabumi – Sukabumi, Indonesia.

⁶SRM Institute of Science and Technology – Tamil Nadu, India.

⁷Universitas Suryakencana – Cianjur, Indonesia.

*Corresponding author: Sekaran, Gunung Pati – Central Java 50229 – Semarang City, Indonesia. E-mail: ahmadalwi@students.unnes.ac.id

Conflict of interest: nothing to declare. Funding: nothing to declare.

Received: 24th August 2024. Accepted: 6th January 2025

2021), and technical (Giatsis et al., 2023). Several previous studies explained that well-developed physical fitness was able to generate great power when kicking (Isnaini et al., 2023), high jumping power (Heynen et al., 2024; Ramirez-Campillo et al., 2020), speed when running, agility when moving, flexibility (Sikora & Linek, 2023), and endurance to compete longer without experiencing excessive fatigue (Papaevangelou et al., 2023). In addition, psychological aspects such as grit have received attention among researchers worldwide (Braun et al., 2024; Sumarsono et al., 2023) because they could influence performance levels (Apró et al., 2024). A similar situation also applied to technical aspects, which have been proven to create a major contribution to support high performance in the competition (Ramírez-López et al., 2022). Thus, basically, these three factors have a positive relationship. High fitness will have a positive impact on technical performance; meanwhile, increasing grit is also important for improving fitness and technical quality (Romdhani et al., 2024). Considering the importance of fitness, grit and technical performance for young athletes, an appropriate and relevant training program, such as providing encouraging feedback from coaches during circuit training (CEFCT), is considered important.

CEFCT is a combination of training that provides encouraging feedback from the coach while the athlete is carrying out the circuit program. Encouraging feedback from the coach can be provided verbally (e.g., “You can do it!”, “Keep your enthusiasm!”, “Don’t give up!” or “Good job!” (Khayati et al., 2024; Sahli et al., 2024; Soylu et al., 2023), and action (e.g., lifting thumbs up, giving applause, demonstrating correct movements). Meanwhile, the circuit is a training course with 1 to 8 stations (Pocan, 2024), and each station has a training task that must be completed by young athletes (Burhanuddin et al., 2023). Based on information from previous studies, each station has different training tasks, for example, burpees, squats, shuttle runs, plyometrics, planks, and push-ups (Milenković, 2022). Combining the provision of encouraging feedback from a coach with a type of training that was documented in previous studies generated positive benefits; for example, Díaz-García et al. (2021) combined coach encouragement during soccer practice, and the results were proven to increase the mental and physical load of 36 young athletes. Meanwhile, Midgley et al. (2018) state that providing verbal encouragement during exercise has a significant impact on performance and motivation. Other benefits showed that encouraging feedback during repeated agility speed training (RAS) can improve physiology, intensity, mood, and perceived enjoyment in young soccer athletes (Selmi et al., 2023).

Although the benefits of CEFCT had been reported by several previous researchers, according to our best knowledge, based on facts and data, there was limited research that investigated the effects of CEFCT on youth sepak takraw athletes. Apart from that, the novelty presented in this research relates to the implementation of the CEFCT program to improve physical fitness, grit and technical performance. Based on these reasons, our research aims to investigate the impact of the CEFCT program on the level of fitness, grit and technical performance of youth sepak takraw athletes.

METHODS

Ethics

This research has received approval from the local ethics committee of the Indonesian Sepak Takraw Association Organisation, Sukabumi City, Indonesia (Registration number: 0324/PSTI-KAB-SMI/II/2024).

Participants

A priori sample size analysis was calculated with G*Power (v 3.1.9.4, [effect size $f = 0.30$, power $1 - \beta$ err prob = 0.90 and α err prob = 0.05]). The results showed the minimum number of participants (sample) was 80 athletes, who were divided into experimental (CEFCT, $n = 40$) and control groups (CG, $n = 40$) using an online research randomiser (Selmi et al., 2024). Therefore, this research involved 80 young male sepak takraw athletes from the Indonesian Sepak Takraw Association Organisation, Sukabumi City (Indonesia). They were selected using the following inclusion criteria: (i) youth sepak takraw athletes with a minimum of 2 years training experience; (ii) minimum 2 years of CEFCT experience; (iii) did not have any injury in the last 2 months and during the intervention program period, (iv) did not take any medication during the intervention period. Meanwhile, the exclusion criteria were: (i) the athletes had an injury in the last 1 month and were sick during the intervention program; (ii) did not obtain parental consent to engage in the intervention program; (iii) athletes aged 23 years and over. All participants received information regarding the procedures, rules, risks, and benefits of this research. After verbally agreeing, the participants and their parents should sign the consent form. All activities in this research are in accordance with and follow the ethical standards for human studies from the Declaration of Helsinki (World Medical Association, 2013). Characteristic information about the participants is presented in Table 1.

Measurements

Physical fitness

The physical fitness level of youth sepak takraw athletes was measured using a fitness test battery, including:

Leg strength dynamometer test

The LSDT (T.K.K. 5402, BACKD, Tokyo, Japan) has been used in many previous studies to measure athletes' back and lower leg muscle strength (Ho et al., 2024). The LSDT was carried out with the following instructions. First, the participant stood on the leg dynamometer. Then, the participant leaned their body forward (30°), looked straight ahead, and both hands held the leg dynamometer handle. After instructions, the participant pulled the handle as hard as possible by straightening his knees until he stood up straight (Isnaini et al., 2023). Each participant got 2 opportunities, and the best result was recorded in kg.

10-m speed test

The 10-mST was chosen to measure the speed level of athletes using a stopwatch (s) (Chuang et al., 2022). The 10-mST was carried out with the following instructions. First, participants stood on the start line. After the whistle sounded, participants ran as fast as possible towards the finish line. The test was carried out in 2 trials, and the fastest time was registered for data analysis.

Hexagon agility test

Based on previous studies, HAT has been proven accurate in measuring agility (Lu et al., 2022). HAT was carried out with the following instructions. First, the participant stood upright in the middle of the hexagon and faced line A with his knees bent more than 45° (Encarnación-Martínez et al., 2023). After the instruction "ready and go", the participant quickly jumped out of line B and jumped in again. Next, he

jumped again to numbers C, D, E, and F and finally jumped back to line A. The duration was controlled by a stopwatch. Each participant had 3 times trials, and the best time (s) were recorded (Moseid et al., 2019) (Figure 1).

Counter movement jump

The CMJ was used to measure the power level of the vertical jump (Kurtoğlu et al., 2024). The CMJ was carried out with the following instructions. The participant stood upright, hands on hips and feet shoulder-width apart. After the instruction sounded, the participant bent his knees to 90° and jumped vertically as high as possible (Masel & Maciejczyk, 2024; Michailidis et al., 2024). Participants were given 3 opportunities, and the highest vertical jump (cm) was selected for data analysis.

Sit and reach test

Athletes' back muscle flexibility was measured using SnRT (Bogalho et al., 2022). The test was carried out using the following procedure: (i) participants were required to take off their shoes, (ii) participants sat on the floor with both arms kept on the SnRT table and legs straight forward. After instruction was sounded, participants bent their bodies forward and pushed the measuring ruler as far as possible with both arms (Kumar & Zemková, 2022). This position was held for at least one second while recording the distance that could be reached. Participants got 3 times opportunities, and the furthest distance (cm) was selected and recorded.

Multistage 20-m fitness test

In this M20-mFT, if the "beep" audio sounded, then participants would run back and forth from cone A (star) to cone B at a distance of 20 m (Zaharia et al., 2023). If participants

Table 1. Demographic information of the participant.

Outcomes	CEFCT group	CG
Participants (n)	40	40
Age (years)	17.4 ± 1.22	17.5 ± 1.24
Body height (cm)	161 ± 3.38	162 ± 3.18
Body weight (kg)	58.3 ± 3.06	59.2 ± 3.15
BMI (kg·m ⁻²)	22.0 ± 1.05	22.4 ± .80
Sepak Takraw experience (years)	2.38 ± .43	2.44 ± .45
CEFCT experience (years)	2.16 ± .32	2.26 ± .40

CEFCT: Coach encouragement feedback circuit training; BMI: Body mass index.




Figure 1. Hexagon Agility Test.

could no longer run or could not follow the “beep” audio, the research team would warn them and expel them after two warnings. This test ended when the participants were discharged. Oxygen consumption VO_{2max} (mL/kg/min) was recorded for data analysis.

Grit

In this study, the Short Grit Scale (SG-S) was used to measure the grit level of athletes (Mohebi et al., 2022). SG-S consists of 8 question items from 2 dimensions, namely: maintaining interest (MI) with 4 question items (e.g., Setbacks do not discourage me from continuing to practice), and continuing efforts (CE) has 4 question items (e.g., I am an athlete with hardworking character traits). SG-S was assessed on a Likert scale from 1 (does not reflect me at all) to 7 points (extremely reflects me) (Sumarsono et al., 2023).

Technical performance

The level of technical performance of athletes was measured with the following tests:

Sepak Sila test

In this test, the participant stood upright and held the ball. After the instruction “ready and go”, the participant performed sepak sila repeatedly for 1 minute, controlled by a stopwatch (Yudanto et al., 2022). If the ball fell, the stopwatch would stop. The total number of kicks in 1 minute was recorded.

Serve tests

This test was carried out to measure the level of accuracy of the athletes’ serves (Irawan et al., 2021). Participants stood in the serving area, then after the instruction “ready and go”, the participant performed serve, which was directed towards the number grid of the target on the field (e.g., values from 1, 2, 3, 4, 5). Participants got 3 opportunities. The results of 3 serves were added up and recorded.

Smash tests

Based on a previous study, this test was accurate for measuring athletes’ smash levels (Aji & Yudhistira, 2023). Participants stood in the smash area, then after the instruction “ready and go”, the participant performed a smash directed at the target number grid from values 1, 2, 3 to 4 on the field. Participants were given 3 opportunities. The results of the 3 smashes were added up and recorded for data analysis.

Design and procedures

This research adopted an experimental method with a randomised control trial (RCT) design for 8 weeks (Figure

2). At the initial meeting in the first week, all participants carried out a pre-test, which included physical fitness test (LSDT, 10-mST, HAT, CMJ, SnR, M20-mFT), filling out the grit questionnaire (MI, CE), and technical performance test (sepak sila test, serve tests, smash tests). Pre-test activities were carried out on Wednesdays from 07:00 to 11:00 am. In the second meeting, the experimental group carried out the CEFCT program, while the CG carried out circuit training (CT) without any encouragement from the trainer (CT-non CE). CEFCT and CG activities were carried out for 8 weeks. The final meeting, in week 8, was closed by the implementation of post-test activities, namely: physical fitness test (LSDT, 10-mST, HAT, CMJ, SnR, M20-mFT), grit (MI, CE), and technical performance (sepak sila test, serve tests, smash tests) from 08:00 to 12:00 am.

CEFCT and CG program

The CEFCT program was held in the sports field at the Indonesian Sepak Takraw Association Organisation, Sukabumi City (Indonesia). The CEFCT program was held twice a week, namely on Wednesday and Friday, for 8 weeks (Table 2). Before the intervention program, participants performed a warm-up in the form of Proprioceptive Neuromuscular Facilitation (PNF) for 5 minutes. After the warm-up, participants in the experimental group carried out the CEFCT program. The coach’s encouragement was provided in the following form : (i) verbal encouragement such as: “You can do it”, “Keep the spirit up”, “Don’t give up”, “good movement”, “Do your best”, (ii) encouragement of behaviour such as thumbs up, applause, coach demonstrating examples of correct movements. Meanwhile, CG carried out CT without any encouragement from the coach. After the intervention program was completed, all athletes were required to carry out a cool-down (5 min).

Statistical analysis

In this statistical analysis, firstly, several tests were performed, including mean \pm standard deviation, normality (Shapiro-Wilk’s), and homogeneity (Levene’s). Second, a paired sample t-test was conducted to test differences between groups in the pre-test and post-test. Third, the effect size (ES) was calculated using Cohen’s (d) with the following cutoff points: very large (> 2.0), large (1.2–1.99), medium (.60–1.19), small (.2–.59) and trivial ($< .2$). Fourth, a 2-way repeated measures ANOVA was chosen to assess the effects of time, group and interaction in CEFCT and CG on physical fitness (LSDT, 10-mST, HAT, CMJ, SnR, M20-mFT), grit (MI, CE), and technical performance (soccer tests, serve tests, smash tests). Fifth, it was investigated the effects of




Figure 2. Schematic representation of the experimental design.

Table 2. CEFCT program for 8 weeks.

Week	1 Day (Wednesday)		2 Day (Friday)	
1-4 week	Station 1: Burpee work: 2 rep x 5 sets rest: 3 min	Station 5: Wall sit work: 2 reps x 5 sets rest: 3 min	Station 1: Burpee work: 3 reps x 10 sets rest: 4 min	Station 5: Wall sit work: 3 reps x 10 sets rest: 4 min
	Station 2: Squats work: 2 rep x 5 sets rest: 3 min	Station 6: Hold the ball work: 2 reps x 5 sets rest: 3 min	Station 2: Squats work: 3 reps x 10 sets rest: 4 min	Station 6: Hold the ball work: 3 reps x 10 sets rest: 4 min
	Station 3: Shuttle run work: 2 rep x 5 sets rest: 3 min	Station 7: Jump and kick ball work: 2 reps x 5 sets rest: 3 min	Station 3: Shuttle run work: 3 reps x 10 sets rest: 4 min	Station 7: Jump and kick ball work: 3 reps x 10 sets rest: 4 min
	Station 4: Plyometric work: 2 rep x 5 sets rest: 3 min	Station 8: Kick the ball to the target work: 2 reps x 5 sets rest: 3 min	Station 4: Plyometric work: 3 reps x 10 sets rest: 4 min	Station 8: Kick the ball to the target work: 3 reps x 10 sets rest: 4 min
5-8 week	Station 1: Burpee work: 4 reps x 5 sets rest: 3 min	Station 5: Wall sit work: 2 reps x 5 sets rest: 3 min	Station 1: Burpee work: 4 reps x 10 sets rest: 5 min	Station 5: Wall sit work: 4 reps x 10 sets rest: 5 min
	Station 2: Squats work: 4 reps x 5 sets rest: 3 min	Station 6: Hold the ball work: 2 reps x 5 sets rest: 3 min	Station 2: Squats work: 4 reps x 10 sets rest: 5 min	Station 6: Hold the ball work: 4 reps x 10 sets rest: 5 min
	Station 3: Shuttle run work: 4 reps x 5 sets rest: 3 min	Station 7: Jump and kick ball work: 2 reps x 5 sets rest: 3 min	Station 3: Shuttle run work: 4 reps x 10 sets rest: 5 min	Station 7: Jump and kick ball work: 4 reps x 10 sets rest: 5 min
	Station 4: Plyometric work: 4 reps x 5 sets rest: 3 min	Station 8: Kick the ball to the target work: 2 reps x 5 sets rest: 3 min	Station 4: Plyometric work: 4 reps x 10 sets rest: 5 min	Station 8: Kick the ball to the target work: 4 reps x 10 sets rest: 5 min

time, group and interactions with the η^2_p formula with the following cutoff points: large (.138 >), medium (.059 >) to small (.01 >) (Cohen, 2013). Sixth, the delta percentage value (% Δ) was calculated with Equation 1:

$$(\text{post-test} - \text{pre-test}) / \text{pre-test} \times 100 \quad (1)$$

The variable reliability values were tested to find the intra-class correlation coefficient (ICC). Finally, the significance level was set at $p < .05$, and all statistical analyses were performed with Jamovi v. 2.3.28.

RESULTS

Table 3 shows the results of the intra-class correlation coefficient (ICC), Shapiro-Wilk's (SW) and Levene's test (Lt) on the physical fitness, grit and technical performance variables.

Effect of CEFCT and CG on physical fitness

Based on the paired sample t-test results, it was observed pre-test and post-test differences in CEFCT related to physical fitness in all parameters (all, $p < .001$). At the same time, differences in physical fitness in all parameters in the CG were observed (all, $p < .001$) (Table 4).

According to the results of the 2-Way repeated measures ANOVA between CEFCT and CG, it was observed a significant effect of time on physical fitness in the LSDT ($F(1.78) = 230, p < .001, \eta^2_p = .747$), 10-mST ($F(1.78) = 116.82, p < .001, \eta^2_p = .600$), HAT ($F(1.78) = 172.5, p < .001, \eta^2_p = .689$), CMJ ($F(1.78) = 1.468.6, p < .001, \eta^2_p = .950$), SnR ($F(1.78) = 525.5, p < .001, \eta^2_p = .871$), M20-mFT ($F(1.78) = 405.40, p < .001, \eta^2_p = .839$), significant differences were found between groups on parameters LSDT ($F(1.78) = 202, p < .001, \eta^2_p = .721$), 10-mST ($F(1.78) = 14.1, p < .001, \eta^2_p = .153$), HAT ($F(1.78) = 34.0, p < .001, \eta^2_p = .304$), SnR ($F(1.78) = 34.6, p < .001, \eta^2_p = .307$), M20-mFT ($F(1.78) = 17.3, p < .001, \eta^2_p = .182$), but there was no difference in CMJ ($F(1.78) = .778, p = .381, \eta^2_p = .010$). Moreover, there was an interaction effect of time * group on physical fitness on the LSDT parameters ($F(1.78) = 199, p < .001, \eta^2_p = .719$), HAT ($F(1.78) = 98.8, p < .001, \eta^2_p = .559$), CMJ ($F(1.78) = 13.6, p < .001, \eta^2_p = .148$), SnR ($F(1.78) = 28.6, p < .001, \eta^2_p = .268$), M20-mFT ($F(1.78) = 5.00, p = .028, \eta^2_p = .060$), but there was no effect on 10-mST ($F(1.78) = 2.16, p = .146, \eta^2_p = .027$).

Effect of CEFCT and CG on Grit

Based on the results of the Paired sample t-test (Figure 3), we observed that there were pre-test to post-test differences in CEFCT related to MI ($p < .001, d = -3.11$ [very

large]), CE ($p < .001, d = -4.25$ [very large]), and CG related to MI ($p < .001, d = -2.61$ [very large]), CE ($p < .001, d = -3.99$ [very large]) on grit parameters.

According to the results of the 2-Way repeated measures ANOVA, it was observed an effect of time on MI ($F(1.78) = 658.0, p < .001, \eta^2_p = .894$), and CE ($F(1.78) = 1.360.42, p < .001, \eta^2_p = .946$), but there was no difference in group effects in MI ($F(1.78) = 1.48, p = .228, \eta^2_p = .019$), and CE ($F(1.78) = 1.31, p = .256, \eta^2_p = .017$). Moreover, there was a time * group interaction on MI ($F(1.78) = 10.5, p = .002, \eta^2_p = .118$), but it was not found on CE ($F(1.78) = 2.78, p = .099, \eta^2_p = .034$).

Effect of CEFCT and CG on technical performance

Based on the results of the Paired sample t-test (Table 5), it was observed differences from pre-test to post-test on CEFCT and CG related to technical performance on the parameters of sepak sila test ($p < .001$), serve tests ($p < .001$), and smash tests ($p < .001$).

According to the results of the 2-Way repeated measures ANOVA between CEFCT and CG, it was observed an effect of time on sepak sila test ($F(1.78) = 228.54, p < .001, \eta^2_p = .746$), serve tests ($F(1.78) = 229.32, p < .001, \eta^2_p = .746$) and smash tests ($F(1.78) = 221.54, p < .001, \eta^2_p = .740$), it was found a group effect on sepak sila test ($F(1.78) = 40.5, p < .001, \eta^2_p = .342$), serve tests ($F(1.78) = 4.37, p = .040, \eta^2_p = .053$), and smash tests ($F(1.78) = 12.6, p < .000, \eta^2_p = .139$). However, no time * group interaction was found on sepak sila test ($F(1.78) = 3.36, p = .071, \eta^2_p = .041$), serve tests ($F(1.78) = .355, p = .553, \eta^2_p = .005$), and smash tests ($F(1.78) = 1.16, p = .284, \eta^2_p = .015$).

DISCUSSION

The current study aims to investigate the impact of the CEFCT program compared with CG on the enhancement level of fitness, grit, and technical performance of youth sepak takraw athletes.

The first finding showed that CEFCT, which had been carried out for 8 weeks, was proven to have a better effect than CG in improving the quality of physical fitness. This finding can be explained by the fact that CEFCT has the advantage of combining the coach's verbal and behavioural encouragement during circuit training. Therefore, it becomes the main factor in physical fitness parameters related to SDT, 10-mST, HAT, CMJ, SnR, and M20-mFT for students. Youth sepak takraw athletes have experienced significant changes. These results are similar to several studies that support our research. For example, Romdhani et al. (2024) applied coach

Table 3. Results of intra-class correlation coefficient (ICC), Shapiro-Wilk (Sw) and Levene test (Lt).

Outcomes	ICC	95%CI	Sw-CEFCT (pre - post)	Lt-CEFCT (pre - post)	Sw-CG (pre - post)	Lt-CG (pre - post)
Physical fitness						
LSDT (kg)	.95	.92–.97	.066	.123	.059	.190
10-mST (s)	.93	.90–.97	.118	.156	.356	.127
HAT (s)	.88	.84–.92	.695	.187	.236	.269
CMJ (cm)	.82	.72–.88	.161	.243	.328	.312
SnR (cm)	.80	.70–.87	.097	.191	.069	.324
M20-mFT (mL/kg/min)	.89	.84–.93	.637	.264	.066	.277
Grit						
MI (score)	.94	.91–.97	.314	.287	.092	.223
CE (score)	.90	.86–.95	.084	.111	.126	.149
Technical performance						
Sepak sila tests (score)	.83	.73–.89	.084	.139	.077	.182
Serve tests (score)	.81	.71–.87	.075	.255	.071	.163
Smash tests (score)	.87	.83–.91	.695	.252	.061	.184

CEFCT: Coach encouragement feedback circuit training; CG: Control groups; LSDT: Leg strength dynamometer test; 10-mST: 10-m speed test; HAT: Hexagon agility test; CMJ: Counter movement jump; SnR: Sit and reach test; M20-mFT: Multistage 20-m fitness test; MI: Maintaining interest; CE: Continuing effort; ICC: Intra-class correlation coefficient; CI: Confidence interval; SW: Shapiro-wilk; LT: Levene test.


**Figure 3.** Changes in grit (A [MI], B [CE]) parameters in coach encouragement feedback circuit training (CEFCT) and control group (CG) for pre- and post-test during the 8-week intervention.

Table 4. Physical fitness changes in the coach encouragement feedback circuit training (CEFCT) and control group (CG) for pre- and post-test during the 8-week intervention.

Outcomes	CG (n = 40)										2-Way Repeated ANOVA			
	CEFACT (n = 40)					Paired Samples T-Test					ES	Time	Group	Time * Group
	Pre	Post	% Δ	p	ES	Pre	Post	% Δ	p	ES				
LSDT (kg)	52.1 ± 1.46	82.3 ± 13.21	+58	< .001	-2.32 [very large]	51.2 ± 1.14	52.3 ± 1.07	+2.1	< .001	-2.68 [very large]	F _(1,78) = 230 p < .000 η ² _p = 0.747	F _(1,78) = 202 p < .000 η ² _p = 0.721	F _(1,78) = 199 p < .000 η ² _p = 0.719	
10-mST (s)	5.40 ± 0.93	4.35 ± 0.78	-19.4	< .001	1.25 [large]	5.82 ± .65	5.02 ± .58	-13.7	< .001	1.17 [medium]	F _(1,78) = 116.82 p < .000 η ² _p = .600	F _(1,78) = 14.1 p < .000 η ² _p = .153	F _(1,78) = 2.16 p = 0.146 η ² _p = .027	
HAT (s)	18.6 ± 1.19	16.7 ± 0.94	-10.2	< .001	2.05 [very large]	19.0 ± .94	18.7 ± .83	-1.6	.001	0.54 [small]	F _(1,78) = 172.5 p < .000 η ² _p = .689	F _(1,78) = 34.0 p < .000 η ² _p = .304	F _(1,78) = 98.8 p < .000 η ² _p = .559	
GMJ (cm)	20.2 ± 1.75	49.3 ± 5.75	+144.1	< .001	-4.56 [very large]	22.2 ± 1.80	46.1 ± 5.74	+107.7	< .001	-3.99 [very large]	F _(1,78) = 1,468.6 p < .000 η ² _p = 0.950	F _(1,78) = .778 p = .381 η ² _p = 0.010	F _(1,78) = 13.6 p < .000 η ² _p = 0.148	
SnR (cm)	13.1 ± 1.81	27.3 ± 3.10	+108.4	< .001	-4.00 [very large]	12.7 ± 2.49	21.4 ± 4.89	+68.5	< .001	-1.68 [large]	F _(1,78) = 525.5 p < .000 η ² _p = .871	F _(1,78) = 34.6 p < .000 η ² _p = .307	F _(1,78) = 28.6 p < .000 η ² _p = .268	
M20-mFT (mL/kg/min)	36.1 ± 2.98	46.4 ± 2.73	+28.5	< .001	-2.65 [very large]	34.4 ± 3.44	42.5 ± 5.05	+23.5	< .001	-1.90 [large]	F _(1,78) = 405.40 p < .000 η ² _p = .839	F _(1,78) = 17.3 p < .000 η ² _p = .182	F _(1,78) = 5.00 p = .028 η ² _p = .060	

CEFACT: Coach encouragement feedback circuit training; CG: Control groups; LSDT: Leg strength dynamometer test; 10-mST: 10-m speed test; HAT: Hexagon agility test; CMJ: Counter movement jump; SnR: Sit and reach test; M20-mFT: Multistage 20-m fitness test; % Δ: Delta percentage. Significant differences were determined at the p < .05 level.

Table 5. Changes in technical performance in the coach encouragement feedback circuit training (CEFACT) and control group (CG) for pre- and post-test during the 8-week intervention.

Outcomes	CG (n = 40)										2-Way Repeated ANOVA			
	CEFACT (n = 40)					Paired Samples T-Test					ES	Time	Group	Time * Group
	Pre	Post	% Δ	p	ES	Pre	Post	% Δ	p	ES				
Sepak sila tests (score)	15.6 ± 1.43	21.1 ± 2.33	+35.3	< .001	-2.10 [very large]	13.2 ± 2.15	17.6 ± 3.66	+33.3	< .001	-1.36 [large]	F _(1,78) = 228.54 p < .000 η ² _p = .746	F _(1,78) = 40.5 p < .000 η ² _p = .342	F _(1,78) = 3.36 p = .071 η ² _p = .041	
Serve tests (score)	8.65 ± 1.92	11.95 ± 2.14	+38.2	< .001	-1.94 [large]	8.03 ± 1.10	11.07 ± 2.09	+37.9	< .001	-1.50 [large]	F _(1,78) = 229.32 p < .000 η ² _p = .746	F _(1,78) = 4.37 p = .040 η ² _p = .053	F _(1,78) = .355 p = .553 η ² _p = .005	
Smash tests (score)	8.20 ± 1.30	10.97 ± 1.10	+33.8	< .001	-1.74 [large]	7.53 ± 1.24	9.93 ± 1.64	+31.9	< .001	-1.58 [large]	F _(1,78) = 221.54 p < .000 η ² _p = .740	F _(1,78) = 12.6 p < .000 η ² _p = .139	F _(1,78) = 1.16 p = .284 η ² _p = .015	

CEFACT: Coach encouragement feedback circuit training; CG: Control groups; % Δ: Delta Percentage. Significance is determined at the p < .05 level.

encouragement during the training process for 36 sports science student-athletes, and the results of this research showed that the strength and endurance parameters of athletes had increased. Another study reported similar results; verbal encouragement feedback from coaches in training sessions would be a positive tool to improve the quality of physical fitness among soccer athletes (Hammami et al., 2023).

Meanwhile, Sahli et al. (2020) reported that 16 male students participated in a verbal encouragement program during exercise, and their research showed a positive impact on a high physical level. The majority of previous studies support our findings about the changes in physical fitness that occur due to the combination of coaches' encouragement during specific training (Jouira et al., 2024; Puce et al., 2022; Sahli et al., 2022; Selmi et al., 2017), especially in our research through circuit training. For example, previous research highlighted that the impact of coach encouragement integrated into training can improve speed levels (Sahli et al., 2024) and aerobic performance of athletes (Romdhani et al., 2024). Pacholek and Zemková (2022) reported that coach encouragement could be an external stimulus for athletes to achieve high physical fitness performance. In addition, the findings of Aydi et al. (2022) confirmed and supported this research that coach verbal encouragement during the dribbling circuit was a powerful strategy for improving the physical quality of student-athletes.

The second finding showed that CEFCT provided advantages in increasing grit among youth sepak takraw athletes. This finding is due to the encouragement that the coach gave through verbal and behaviour, which was the main trigger for the emergence of grit in young sepak takraw athletes. Recent research also reports encouragement given by coaches to young athletes during the training process to optimise psychological performance towards higher levels (Khayati et al., 2024). Verbal encouragement uttered by a coach, such as: "Come on, come on, you are amazing" or "Do it again", could be used to promote enjoyment and a better mood among athletes (Sahli et al., 2020). Besides that, other studies reported that coach encouragement during soccer training reduced the risk of mental disorders in young athletes (Díaz-García et al., 2021). Similarly, Edwards et al. (2018) suggest integrating coaches' encouragement in exercise because it would enhance motivation levels. Additionally, Selmi et al. (2023) involved 17 male youth soccer players in a program of verbal encouragement from a coach during small-sided game practice, and the results proved that the psychophysiological response, mood, and enjoyment of practice had improved drastically. Furthermore, Aydi et al. (2022) reported a finding that was similar to this study: the coach's verbal encouragement

integrated during dribbling circuit training improved an important aspect, namely physiological responses.

The latest findings in our research showed that CEFCT is a positive tool for improving and developing the technical performance quality in youth sepak takraw athletes. The majority of these findings are similar to several previous studies. Research by Rusmana et al. (2023) applied coach encouragement during a tactical game program to 20 young basketball athletes, and the findings showed that tactical game with encouragement (TG+E) was the right solution to improve decision making (DM) and execution skills (SE). Recent research by Jumareng et al. (2024) reported that technical performance among soccer athletes showed positive changes after an experienced coach's verbal encouragement program during small-sided games training. Selmi et al. (2023) also supported this finding that coaches used verbal encouragement during training sessions, which would improve the quality of technical performance in football. Similar results were also described by Hammami et al. (2023), who stated that the improvement in technical performance was caused by a long-term coach verbal encouragement program. A similar finding was also reported by Kilit et al. (2019); young male tennis players who got coach encouragement program sessions during tennis practice showed positive results in improving technical performance in tennis.

This study has several main strengths, namely: (i) creating a program that combines coach encouragement feedback in the form of verbal and behaviour during circuit training, (ii) creating a CEFCT program that is easy to implement on a daily basis by coaches and youth sepak takraw athletes, (iii) This is the first study that used the CEFCT program to increase the level of physical fitness, grit and technical performance in sepak takraw athletes. This study has several limitations that need to be acknowledged: (i) This study involved a small number of participants, who came from one Sepak Takraw Association Organisation from Sukabumi City, Indonesia; (ii) this study only involved male participants. It is recommended that future research overcome the limitations in this research by adding more participants from several Sepak Takraw Association Organisations in Indonesia and also involving young female Sepak Takraw athletes.

CONCLUSIONS

Based on the results of this study, the CEFCT program, which has been implemented for 8 weeks, has proven to be effective in increasing the level of physical fitness, grit and technical performance in youth Sepak Takraw athletes. In addition, this study clearly shows that CEFCT has a greater impact than CG. This research contributes as an innovation

to developing a training program using CEFCT, so it is expected that it can be used by coaches and athletes continuously in the future to generate optimal physical fitness, grit and technical performance, which in the end can enhance the athlete's performance.

REFERENCES

- Aji, T., & Yudhistira, D. (2023). The effect of hanging ball training method to improve kedeng smash skill of sepak takraw athletes in panca event games. *Proceedings of the Unima International Conference on Social Sciences and Humanities*, 1023–1029. https://doi.org/10.2991/978-2-494069-35-0_123
- Apró, A., Fejes, N., Bandi, S. A., & Jári, R. (2024). Investigating the effect of grit trait on performance and success in Hungarian athlete's sample. *Frontiers in Psychology*, 15, Article 1283115. <https://doi.org/10.3389/fpsyg.2024.1283115>
- Aydi, B., Selmi, O., Souissi, M. A., Sahli, H., Rekek, G., Crowley-Mchattan, Z. J., Pagaduan, J. C., Muscella, A., Zghibi, M., & Chen, Y. S. (2022). The effects of verbal encouragement during a soccer dribbling circuit on physical and psychophysiological responses: an exploratory study in a physical education setting. *Children*, 9(6), Article 907. <https://doi.org/10.3390/children9060907>
- Bogalho, D., Gomes, R., Mendes, R., Dias, G., & Castro, M. A. (2022). Impact of flexibility on vertical jump, balance and speed in amateur football players. *Applied Sciences*, 12(11), Article 5425. <https://doi.org/10.3390/app12115425>
- Braun, L., Ross-Stewart, L., & Meyer, B. B. (2024). The relationship between athlete perceptions of coaching leadership behaviors and athlete grit. *International Journal of Exercise Science*, 17(5), 13–24. <https://doi.org/10.70252/kwqs8291>
- Burhanuddin, S., Setiawan, E., Isnaini, L. M. Y., Jumareng, H., & Patah, I. A. (2023). Changing the level of mental health and fundamental movement skills on pencak silat athletes through game-based circuit training. *Health, Sport, Rehabilitation*, 9(3), 50–62. <https://doi.org/10.58962/HSR.2023.9.3.50-60>
- Chuang, C. H., Hung, M. H., Chang, C. Y., Wang, Y. Y., & Lin, K. C. (2022). Effects of agility training on skill-related physical capabilities in young volleyball players. *Applied Sciences*, 12(4), Article 1904. <https://doi.org/10.3390/app12041904>
- Cohen, J. (2013). *Statistical power analysis for the behavioral sciences* (2nd ed.). Routledge.
- Díaz-García, J., Pulido, J. J., Ponce-Bordón, J. C., Cano-Prado, C., López-Gajardo, M. Á., & García-Calvo, T. (2021). Coach encouragement during soccer practices can influence players' mental and physical loads. *Journal of Human Kinetics*, 79(1), 277–288. <https://doi.org/10.2478/hukin-2021-0079>
- Edwards, A. M., Dutton-Challis, L., Cottrell, D., Guy, J. H., & Hettinga, F. J. (2018). Impact of active and passive social facilitation on self-paced endurance and sprint exercise: Encouragement augments performance and motivation to exercise. *BMJ Open Sport and Exercise Medicine*, 4(1), 1–7. <https://doi.org/10.1136/bmjsem-2018-000368>
- Encarnación-Martínez, A., García-Gallart, A., Pérez-Soriano, P., Catalá-Vilaplana, I., Rizo-Albero, J., & Sanchis-Sanchis, R. (2023). Effect of hamstring tightness and fatigue on dynamic stability and agility in physically active young men. *Sensors*, 23(3), Article 1633. <https://doi.org/10.3390/s23031633>
- Giatsis, G., Lola, A., Drikos, S., Lopez-Martinez, A. B., & Turpin-Pérez, J. A. (2023). Beach volleyball set and technical performance indicators for elite women's teams. *Journal of Human Sport and Exercise*, 18(3), 622–639. <https://doi.org/10.14198/jhse.2023.183.10>
- Hammami, M. A., Guerchi, M., Selmi, O., Sehli, F., Ghouili, H., Stângaciu, O. A., Marinău, M. A., Galeru, O., & Alexe, D. I. (2023). Effect of verbal encouragement on physical fitness, technical skill and physiological response during small-sided soccer games. *Sustainability*, 15(4), Article 3624. <https://doi.org/10.3390/su15043624>
- Heynen, R., Gross, M., Betschen, T., & Hübner, K. (2024). Post-activation performance enhancement (PAPE) increases jumping power in elite female volleyball athletes. *Sports*, 12(1), Article 22. <https://doi.org/10.3390/sports12010022>
- Ho, S.-Y., Chung, Y.-C., Wu, H.-J., Ho, C.-C., & Chen, H.-T. (2024). Effect of high intensity circuit training on muscle mass, muscular strength, and blood parameters in sedentary workers. *PeerJ*, 12, Article e17140. <https://doi.org/10.7717/peerj.17140>
- Irawan, R., Padli, V. E., Purba, R. H., & Susanti, S. A. (2021). Developing of top serve accuracy test on Sepak takraw sport game. *Journal of Human Sport and Exercise*, 16(Proc3), S1330–S1339. <https://doi.org/10.14198/jhse.2021.16.Proc3.48>
- Isnaini, L. M. Y., Setiawan, E., Gani, R. A., Lufthansa, L., Gazali, N., & Winarno, M. E. (2023). Aquatic-Based Tabata training: a training system to improve physical fitness of athletes in situational sports. *Health, Sport, Rehabilitation*, 9(3), 61–73. <https://doi.org/10.58962/hsr.2023.9.3.61-73>
- Jouira, G., Alexe, D. I., Alexe, C. I., Rebai, H., Cucui, A. I., Vulpe, A. M., Cucui, G. G., & Sahli, S. (2024). Effect of verbal encouragement on postural balance in individuals with intellectual disabilities. *Healthcare*, 12(10), Article 995. <https://doi.org/10.3390/healthcare12100995>
- Jumareng, H., Setiawan, E., Tannoubi, A., Lardika, R. A., Adil, A., Gazali, N., Gani, R. A., Ahmedov, F., Kurtoğlu, A., & Alexe, D. I. (2024). Small sided games 3vs3 goalkeeper-encouragement: improve the physical and technical performance of youth soccer players. *European Journal of Human Movement*, 52. <https://doi.org/10.21134/eurjhm.2024.52.11>
- Khayati, A., Sahli, F., Ghouili, H., Labbadi, R., Selmi, O., Sahli, H., Jebabli, N., Romdhani, A., Zghibi, M., & Haddad, M. (2024). Effects of coach-delivered verbal encouragement on the physiological and psychological responses of adolescent players in small-sided basketball games. *Frontiers in Psychology*, 15, Article 1392668. <https://doi.org/10.3389/fpsyg.2024.1392668>
- Kilit, B., Arslan, E., Akca, F., Aras, D., Soylu, Y., Clemente, F. M., Nikolaidis, P. T., Rosemann, T., & Knechtle, B. (2019). Effect of coach encouragement on the psychophysiological and performance responses of young tennis players. *International Journal of Environmental Research and Public Health*, 16(18), Article 3467. <https://doi.org/10.3390/ijerph16183467>
- Kumar, R., & Zemková, E. (2022). The effect of 12-week core strengthening and weight training on muscle strength, endurance and flexibility in school-aged athletes. *Applied Sciences*, 12(24), Article 12550. <https://doi.org/10.3390/app122412550>
- Kurtoğlu, A., Çar, B., Eken, Ö., Demir, G., Türkmen, M., Setiawan, E., Alotaibi, M. H., & Elkhali, S. M. (2024). Pes planus level affects counter movement jump performance: A study on amateur male and female volleyball players. *Medicine*, 103(25), Article e38683. <https://doi.org/10.1097/MD.00000000000038683>
- Lu, Z., Zhou, L., Gong, W., Chuang, S., Wang, S., Guo, Z., Bao, D., Zhang, L., & Zhou, J. (2022). The effect of 6-week combined balance and plyometric training on dynamic balance and quickness performance of elite badminton players. *International Journal of Environmental Research and Public Health*, 19(3), Article 1605. <https://doi.org/10.3390/ijerph19031605>
- Masel, S., & Maciejczyk, M. (2024). Changes in countermovement jump height in elite volleyball players in two competitive seasons: consideration on the technique of execution of the jump. *Applied Sciences*, 14(11), Article 4463. <https://doi.org/10.3390/app14114463>

- Michailidis, Y., Kyzerakos, T., & Metaxas, T. I. (2024). The effect of integrative training program on youth soccer players' power indexes. *Applied Sciences*, 14(1), Article 384. <https://doi.org/10.3390/app14010384>
- Midgley, A. W., Marchant, D. C., & Levy, A. R. (2018). A call to action towards an evidence-based approach to using verbal encouragement during maximal exercise testing. *Clinical Physiology and Functional Imaging*, 38(4), 547–553. <https://doi.org/10.1111/cpf.12454>
- Milenković, D. (2022). Effect of 8-week circuit training on the development of different forms of muscle strength in physical education. *Journal on Efficiency and Responsibility in Education and Science*, 15(4), 221–227. <https://doi.org/10.7160/eriesj.2022.150403>
- Mohebi, M., Sadeghi-Bahmani, D., Zarei, S., Zandi, H. G., & Brand, S. (2022). Examining the effects of mindfulness–acceptance–commitment training on self-compassion and grit among elite female athletes. *International Journal of Environmental Research and Public Health*, 19(1), Article 134. <https://doi.org/10.3390/ijerph19010134>
- Moseid, C. H., Myklebust, G., Slaastuen, M. K., Bar-Yaacov, J. B., Kristiansen, A. H., Fagerland, M. W., & Bahr, R. (2019). The association between physical fitness level and number and severity of injury and illness in youth elite athletes. *Scandinavian Journal of Medicine and Science in Sports*, 29(11), 1736–1748. <https://doi.org/10.1111/sms.13498>
- Pacholek, M., & Zemková, E. (2022). Effects of verbal encouragement and performance feedback on physical fitness in young adults. *Sustainability*, 14(3), Article 1753. <https://doi.org/10.3390/su14031753>
- Papaevangelou, E., Papadopoulou, Z., Michailidis, Y., Mandroukas, A., Nikolaidis, P. T., Margaritelis, N. V., & Metaxas, T. (2023). Changes in cardiorespiratory fitness during a season in elite female soccer, basketball, and handball players. *Applied Sciences*, 13(17), Article 9593. <https://doi.org/10.3390/app13179593>
- Pocan, J. M. (2024). The effect of 16-week progressive circuit training program on the health and skill-related fitness parameters of overweight university students. *Physical Education Theory and Methodology*, 24(2), 198–204. <https://doi.org/10.17309/tmfv.2024.2.02>
- Puce, L., Trompetto, C., Currà, A., Marinelli, L., Mori, L., Panasci, M., Cotellessa, F., Biz, C., Bragazzi, N. L., & Ruggieri, P. (2022). The effect of verbal encouragement on performance and muscle fatigue in swimming. *Medicina*, 58(12), Article 1709. <https://doi.org/10.3390/medicina58121709>
- Ramirez-Campillo, R., Andrade, D. C., Nikolaidis, P. T., Moran, J., Clemente, F. M., Chaabene, H., & Comfort, P. (2020). Effects of plyometric jump training on vertical jump height of volleyball players: A systematic review with meta-analysis of randomized-controlled trial. *Journal of Sports Science and Medicine*, 19(3), 489–499.
- Ramírez-López, C., Till, K., Weaving, D., Boyd, A., Peeters, A., Beasley, G., Bradley, S., Giuliano, P., Venables, C., & Jones, B. (2022). Does perceived wellness influence technical–tactical match performance? A study in youth international rugby using partial least squares correlation analysis. *European Journal of Sport Science*, 22(7), 1085–1093. <https://doi.org/10.1080/17461391.2021.1936195>
- Ríos Garit, J., Pérez Surita, Y., Fuentes Domínguez, E., Soris Moya, Y., & Borges Castellanos, R. (2021). Anxiety and psychological variables of sports performance related to injuries in high-performance sportsmen. *Apunts Sports Medicine*, 56(211), Article 100358. <https://doi.org/10.1016/j.apunsm.2021.100358>
- Romdhani, A., Sahli, F., Trabelsi, O., Rebhi, M., Ghouili, H., Sahli, H., Salem, A., Trabelsi, K., Jahrami, H., Ammar, A., & Zghibi, M. (2024). Peer verbal encouragement is more effective than coach encouragement in enhancing CrossFit-Specific 1-RM strength, functional endurance, and psychophysiological assessment performance. *Sports*, 12(3), Article 64. <https://doi.org/10.3390/sports12030064>
- Rusmana, R., Sulaiman, I., Rihatno, T., Chaniago, H., Samsudin, S., Asmawi, M., Wiradihardja, S., Bahtiar, B., Supriadi, D., Iulian Alexe, D., Gazali, N., Pavlović, R., & Setiawan, E. (2023). Effects of tactical game+encouragement on improve decision making and skill execution in basketball athletes. *Revista Iberoamericana de Psicología del Ejercicio y El Deporte*, 18(5), 612–617.
- Sabarit, A., Reigal, R. E., Morillo-Baro, J. P., de Mier, R. J. R., Franquelo, A., Hernández-Mendo, A., Falcó, C., & Morales-Sánchez, V. (2020). Cognitive functioning, physical fitness, and game performance in a sample of adolescent soccer players. *Sustainability*, 12(13), Article 5245. <https://doi.org/10.3390/su12135245>
- Sahli, F., Hammami, R., Sahli, H., Jebabli, N., Selmi, W., Zghibi, M., & Tillaar, R. van den (2022). The effects of combined verbal encouragement and technical instruction on technical skills and psychophysiological responses during small-sided handball games exercise in physical education. *Frontiers in Psychology*, 13, Article 902088. <https://doi.org/10.3389/fpsyg.2022.902088>
- Sahli, F., Jebabli, N., Selmi, O., Boujabli, M., Sahli, H., Zghibi, M., & Haddad, M. (2024). Effect of verbal encouragement on performance and affective responses in male sport science students during sprint modalities. *Sports*, 12(4), Article 108. <https://doi.org/10.3390/sports12040108>
- Sahli, H., Selmi, O., Zghibi, M., Hill, L., Rosemann, Thomas Knechtle, B., & Clemente, F. M. (2020). Effect of the verbal encouragement on psychophysiological and affective responses during. *International Journal of Environmental Research and Public Health*, 17(23), Article 8884. <https://doi.org/10.3390/ijerph17238884>
- Selmi, O., Jelleli, H., Bouali, S., Aydi, B., Hindawi, O., Muscella, A., Bouassida, A., Weiss, K., & Knechtle, B. (2023). The impact of verbal encouragement during the repeated agility speed training on internal intensity, mood state, and physical enjoyment in youth soccer players. *Frontiers in Psychology*, 14, Article 1180985. <https://doi.org/10.3389/fpsyg.2023.1180985>
- Selmi, O., Khalifa, W. Ben, Ouerghi, N., Amara, F., Zouaoui, M., & Bouassida, A. (2017). Effect of verbal coach encouragement on small sided games intensity and perceived enjoyment in youth soccer players. *Journal of Athletic Enhancement*, 6(3), 1–6. <https://doi.org/10.4172/2324-9080.1000262>
- Selmi, W., Hammami, A., Hammami, R., Ceylan, H. İ., Morgans, R., & Simenko, J. (2024). Effects of a 6-Week Agility Training Program on Emotional Intelligence and Attention Levels in Adolescent Tennis Players. *Applied Sciences*, 14(3), Article 1070. <https://doi.org/10.3390/app14031070>
- Sikora, D., & Linek, P. (2023). Effect of a 10-week sensorimotor exercise program on balance and agility in adolescent football players: a randomised control trial. *Applied Sciences*, 13(1), Article 89. <https://doi.org/10.3390/app13010089>
- Soylu, Y., Arslan, E., Yilmaz, O., & Kilit, B. (2023). How does coach encouragement affect soccer test performance? *Turkish Journal of Kinesiology*, 9(4), 259–265. <https://doi.org/10.31459/turkjin.1336726>
- Sumarsono, R. N., Setiawan, E., Ryanto, A. K. Y., Mahardhika, D. B., & Németh, Z. (2023). Investigate relationship between grit, coach leadership style with sports motivation and athlete satisfaction while training after COVID-19. *Studia Sportiva*, 17(1), 158–168. <https://doi.org/10.5817/STS2023-1-14>
- Udomtaku, K., & Konharn, K. (2020). Energy expenditure and movement activity analysis of sepaktakraw players in the Thailand league. *Journal of Exercise Science and Fitness*, 18(3), 136–141. <https://doi.org/10.1016/j.jesf.2020.04.001>
- Villaseca-Vicuña, R., Molina-Sotomayor, E., Zabaloy, S., & Gonzalez-Jurado, J. A. (2021). Anthropometric profile and physical fitness

- performance comparison by game position in the Chile women's senior national football team. *Applied Sciences*, 11(5), Article 2004. <https://doi.org/10.3390/app11052004>
- Villaseca-Vicuña, R., Otero-Saborido, F. M., Perez-Contreras, J., & Gonzalez-Jurado, J. A. (2021). Relationship between physical fitness and match performance parameters of Chile women's national football team. *International Journal of Environmental Research and Public Health*, 18(16), Article 8412. <https://doi.org/10.3390/ijerph18168412>
- World Medical Association (2013). Declaration of Helsinki: ethical principles for medical research involving human subjects. *JAMA*, 310(20), 2191–2194. <https://doi.org/10.1001/jama.2013.281053>
- Yudanto, Y., Yudhistira, D., Antoni, M. S., & Septian, M. (2022). The effect of the training model and balance on students' sepak sila skills on sepak takraw extracurricular in first middle school. *Physical Education Theory and Methodology*, 22(4), 485–492. <https://doi.org/10.17309/tmfv.2022.4.05>
- Zaharia, G., Badau, D., Tudor, V., Costache, R., Geambasu, A., Damian, M., Giurgiu, L., Damian, C., Ursu, V. E., Rusu, R. G., Hasmasan, I. T., Stoian, I., & Tifrea, C. (2023). The effects of 8 aerobic endurance training weeks of 4vs.4+gk small-sided games versus traditional training on physical fitness and skills among u18 football players. *Applied Sciences*, 13(13), Article 7963. <https://doi.org/10.3390/app13137963>

